MHS PHARMACY BENEFIT TESTOSTERONES PRIOR AUTHORIZATION REQUEST FORM

MHS 550 N. Meridian St. Suite 101 Indianapolis, IN, 46204-1208 Phone: (877) 647-4848 Fax: (866) 399-0929



Tod	lay's	s Da	ate			
		/		/		

Note: This form must be completed by the prescribing provider.

All sections must be completed or the request will be returned

Patient's Medicaid #	Date of Birth
Patient's Name	Prescriber's Name
Prescriber's IN License #	Specialty
Prescriber's NPI #	Prescriber's Signature
Return Fax #	Return Phone # _ _ _
Check box if requesting retro-active PA	Date(s) of service requested for retro-active eligibility (if applicable):

Note: Submit PA requests for retroactive claims (dates of service prior to eligibility determination, but within established eligibility timelines) with dates of service prior to 30 calendar days of submission separately from current PA requests (dates of service 30 calendar days or less and going forward).

Requested Medication	Strength	Quantity	Dosage Regimen

DEPO-TESTOSTERONE, TESTOSTERONE CYPIONATE			
Initial Authorization:			
1. Please select one of the following:			
Member has a diagnosis of delayed puberty			
Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required)			
2. For ALL indications:			
 Provider attests that member has none of the following contraindications to therapy: Yes No Breast cancer in a member assigned male at birth Pregnancy Prostate cancer 			
If no , please specify contraindication and medical rationale for use:			
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and switching formulations to preferred injectable formulation, reauthorization criteria will apply.			
Reauthorization:			
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No			

	f no , please specify contraindication and medical rationale for use:
ESTO	STERONE ENANTHATE
	Authorization:
	se select one of the following: Nember has a diagnosis of delayed puberty
	 Has the member had a previous trial and failure of ALL preferred injectable testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial
	(reference PA criteria)? □ Yes □ No
	f no , please provide medical justification for use of requested agent over ALL preferred injectable estosterone agents:
	 Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? □ Yes □ No
	f no , please provide medical justification for use of requested agent over ALL preferred injectable estosterone agents:
. For	estosterone agents: Member needs medication for palliative treatment of metastatic breast cancer ALL indications:
. For	estosterone agents: Member needs medication for palliative treatment of metastatic breast cancer
For	estosterone agents: Member needs medication for palliative treatment of metastatic breast cancer ALL indications: vider attests that member has none of the following contraindications to therapy: Yes No Breast cancer in a member assigned male at birth Pregnancy
For	estosterone agents: Member needs medication for palliative treatment of metastatic breast cancer ALL indications: vider attests that member has none of the following contraindications to therapy: Yes No • Breast cancer in a member assigned male at birth • Pregnancy • Prostate cancer
. For	 estosterone agents: Member needs medication for palliative treatment of metastatic breast cancer ALL indications: vider attests that member has none of the following contraindications to therapy: Yes No Breast cancer in a member assigned male at birth Pregnancy Prostate cancer
□ Pro	estosterone agents:

If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above
If no , please specify contraindication and medical rationale for use:
AVEED, TESTOPEL PELLET, XYSOTED
Initial Authorization:
1. Please select one of the following:
Member has a diagnosis of delayed puberty
 Has the member had a previous trial and failure of ALL preferred injectable testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)?
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? □ Yes □ No If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 2. For ALL indications: Provider attests that member has none of the following contraindications to therapy: Yes No Breast cancer in a member assigned male at birth Hypogonadal conditions not associated with structural or genetic etiologies (Xyosted ONLY) Pregnancy Prostate cancer If no, please specify contraindication and medical rationale for use:
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply
Reauthorization: 1. Total testasterana layed is ≤ 1000 ng/dL within the past 6 months (Decumentation is required). \Box Vec. \Box No.
 Total testosterone level is ≤1000 ng/dL within the past 6 months (Documentation is required) Yes No Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent, as
confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)?

If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
vider attests that member remains a candidate for treatment, indicating that they have not developed any of contraindication(s) listed under initial authorization above \Box Yes \Box No
If no , please specify contraindication and medical rationale for use:
ODERM, TESTOSTERONE 1% (25 MG)/ 2.5 GM GEL PACKETS, TESTOSTERONE 1% (12.5 MG)/ACT UMP, TESTOSTERONE 1.62% (20.25 MG)/ACT METERED PUMP GEL, TESTIM 1% (50 MG)/5 GM UBES
Authorization: use select one of the following:
Member is 16 years of age or older, has a total testosterone level \leq 350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone within the established quantity limits
Requested dose:
Member is 16 years of age or older, has a total testosterone level ≤ 400 ng/dL while on topical testosterone therapy (Documentation is required) and is requesting to exceed established quantity limits
Requested dose:
Member has utilized \geq 14 days of topical testosterone therapy: \Box Yes \Box No
Name of medication:
Dose:
Start and End date:
If no , please provide medical justification as to why member is requesting a dose beyond established quantity limits:
 ALL indications: ovider attests that member has none of the following contraindications to therapy: Yes No Breast cancer in a member assigned male at birth Pregnancy Prostate cancer
If no , please specify contraindication and medical rationale for use:
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and
are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply

Reauthorization: 1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above Yes No
If no, please specify contraindication and medical rationale for use:
Note: dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits
Requested dose:
NATESTO, TESTOSTERONE 1% (50 MG)/5 GM GEL PACKETS/TUBES, TESTOSTERONE 1.62% (40.5 MG)/2.5 GM GEL PACKETS, TESTOSTERONE 1.62% (20.25 MG)/1.25 GM GEL PACKETS, TESTOSTERONE 2% (10 MG)/ACT METERED PUMP, TESTOSTERONE 30 MG/ACT SOLUTION, VOGELXO 1 % (50 MG)/5 GM GEL PACKETS, VOGELXO 1% (12.5 MG)/ACT GEL PUMP
Initial Authorization:
1. Please select one of the following:
☐ Member is 16 years of age or older, has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone within the established quantity
limits
Requested dose:
Member is 16 years of age or older, has a total testosterone level ≤ 400 ng/dL while on topical testosterone therapy (Documentation is required) and is requesting to exceed established quantity limits
Requested dose:
Member has utilized \geq 14 days of topical testosterone therapy: \Box Yes \Box No
Name of medication:
Dose:
Start and End date:
If no, please provide medical justification as to why member is requesting a dose beyond established quantity limits:
2. Previous trial and failure of ALL preferred topical testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \Box Yes \Box No
If no, please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:
3. For ALL indications:

Provider attests that member has none of the following contraindications to therapy: \Box Yes $\ \Box$ No
Breast cancer in a member assigned male at birth
Pregnancy
Prostate cancer
If no places aposity contraindication and modical rationals for user
If no , please specify contraindication and medical rationale for use:
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply
Reauthorization:
1. Total testosterone level is \leq 1000 ng/dL within the past 6 months (Documentation is required) \Box Yes \Box No
2. Previous trial and failure of at least ONE preferred topical testosterone agent, as confirmed by claims history,
chart documentation, or provider attestation including dates of trial (reference PA criteria) 🗌 Yes 🗌 No
If no , please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:
· · · · · · · · · · · · · · · · · · ·
3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of
the contraindication(s) listed under initial authorization above \Box Yes $\ \Box$ No
If no , please specify contraindication and medical rationale for use:
·····
Note: dose requested for reauthorization should not exceed established quantity limits unless member
historically has been approved to exceed the established quantity limits
Requested dose:
DANAZOL:
Initial Authorization (approval up to 6 months):
1. Member diagnosis(es):
Note: Approvable diagnoses include angioedema prophylaxis for heredity angioedema, autoimmune hemolytic anemia, discoid lupus erythematosus, endometriosis, fibrocystic breast disease, myelosclerosis with myeloid metaplasia
2. For ALL indications:
Provider attests that member has none of the following contraindications to therapy: Yes No
 Active or history of thrombosis or thromboembolic disease
 Androgen-dependent tumor
Cardiac disease
Porphyria
Pregnancy or breast-feeding
Severe hepatic disease
Severe renal disease
Undiagnosed genital bleeding
If no , please specify contraindication and medical rationale for use:

Reauthorization (approval up to 6 months):
1. Documentation from prescriber indicating continued benefit from the medication without significant adverse events 🗌 Yes 🗌 No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above Yes No
If no , please specify contraindication and medical rationale for use:
JATENZO (TESTOSTERONE UNDECANOATE):
Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits
Requested dose:
2. Member has a diagnosis of hypogonadism with a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) □ Yes □ No
3. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \Box Yes \Box No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
4. For ALL indications:
 Provider attests that member has none of the following contraindications to therapy: Yes No Breast cancer in a member assigned male at birth
 Hypogonadal conditions not associated with structural or genetic etiologies Pregnancy
Prostate cancer
If no , please specify contraindication and medical rationale for use:
Reauthorization:
1. Total testosterone level is \leq 1000 ng/dL within the past 6 months (Documentation is required) \Box Yes \Box No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above Yes No
If no , please specify contraindication and medical rationale for use:
3. Previous trial and failure of at least ONE preferred injectable testosterone agent , as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)

🗌 Yes 🗌 No

Г

Т

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

Note: dose requested for reauthorization should not exceed established quantity limits

Requested dose:_____

METHITEST (METHYLTESTOSTERONE)

Initial Authorization (approval up to 6 months):

1. Please select one of the following:

- □ Member has a diagnosis of cryptorchidism
- ☐ Member has a diagnosis of delayed puberty
- ☐ Member has a diagnosis of hypogonadism (primary or hypogonadotropic) with a total testosterone ≤ 350 ng/dL within the past 3 months (Documentation is required)
- Member needs medication for palliative treatment of metastatic breast cancer

2. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \Box Yes \Box No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

3. For ALL indications:

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

4. Dose requested of methyltestosterone is within the established quantity limits

Requested dose:

J٥

Reauthorization (approval up to 6 months):

- 1. Please select one of the following:
 - ☐ Member has a diagnosis of hypogonadism and a total testosterone level ≤ 1000 ng/dL within the past 6 months (Documentation is required)

□ Member has a diagnosis of delayed puberty, palliative treatment of metastatic breast cancer, or cryptorchidism AND prescriber has submitted documentation indicating continued benefit from the medication without significant adverse events:

2. For **ALL** indications:

Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \Box Yes \Box No

If **no**, please specify contraindication and medical rationale for use:

3. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims
history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \Box Yes \Box No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

Note: dose requested for reauthorization should not exceed established quantity limits

Requested dose:

TLANDO (TESTOSTERONE UNDECANOATE)
Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits
Requested dose:
2. Member has a diagnosis of hypogonadism and a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) □ Yes □ No
3. Previous trial and failure of at least ONE preferred injectable testosterone agent , as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \Box Yes \Box No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 4. For ALL indications: Provider attests that member has none of the following contraindications to therapy: Yes No Breast cancer Hypogonadal conditions not associated with structural or genetic etiologies Pregnancy Prostate cancer If no, please specify contraindication and medical rationale for use:

Reauthorization:

1. Total testosterone level is \leq 1000 ng/dL within the past 6 months (Documentation is required) \Box Yes \Box No

2. Prescriber attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above
Yes No

If no, please specify contraindication and medical rationale for use:

3. Previous trial and failure of at least ONE preferred injectable testosterone agent , as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \Box Yes \Box No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

Note: dose requested for reauthorization should not exceed established quantity limits

Requested dose:_____

CONFIDENTIAL INFORMATION

This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.