

Clinical Policy: Azacitidine (Onureg, Vidaza)

Reference Number: CP.PHAR.387 Effective Date: 12.01.18 Last Review Date: 11.20 Line of Business: Commercial, HIM, Medicaid

Coding Implications Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

Azacitidine (Onureg[®], Vidaza[®]) is a pyrimidine nucleoside analog of cytidine.

FDA Approved Indication(s)

Onureg is indicated for continued treatment of adult patients with acute myeloid leukemia (AML) who achieved first complete remission (CR) or complete remission with incomplete blood count recovery (CRi) following intensive induction chemotherapy and are not able to complete intensive curative therapy.

Vidaza is indicated for the treatment of patients with the following French-American-British (FAB) myelodysplastic syndrome (MDS) subtypes: refractory anemia (RA) or refractory anemia with ringed sideroblasts (RARS) (if accompanied by neutropenia or thrombocytopenia or requiring transfusions), refractory anemia with excess blasts (RAEB), refractory anemia with excess blasts in transformation (RAEB-T), and chronic myelomonocytic leukemia (CMMoL).

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Onureg and Vidaza are **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

A. Myelodysplastic Syndromes (must meet all):

- 1. Diagnosis of MDS;
- 2. Request is for Vidaza;
- 3. Prescribed by or in consultation with an oncologist or hematologist;
- 4. Age \geq 18 years;
- 5. Request meets one of the following (a, b, or c):*
 - a. Initial: Dose does not exceed 75 mg/m² per day for 7 days;
 - b. Maintenance: Dose does not exceed 100 mg/m² per day for 7 days per 4-week cycle;
 - c. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).
 - *Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM - 6 months



Commercial – 6 months or to the member's renewal date, whichever is longer

B. Acute Myeloid Leukemia (Vidaza off-label) (must meet all):

- 1. Diagnosis of AML;
- 2. Prescribed by or in consultation with an oncologist or hematologist;
- 3. Age \geq 18 years;
- 4. For Onureg requests, member meets all of the following (a, b, and c):
 - a. Request is for maintenance therapy;
 - b. Member achieved CR or CRi following intensive induction chemotherapy and is not able to complete intensive consolidation/curative therapy (*see Appendix D*);
 - c. Medical justification supports inability to use SC/IV azacitidine (e.g., contraindication to excipients);
- 5. Request meets one of the following (a, b, or c):*
 - a. Onureg: Dose does not exceed 300 mg (1 tablet) per day for 14 days per 4-week cycle;
 - b. Vidaza: Dose does not exceed 100 mg/m^2 per day for 7 days per 4-week cycle;
 - c. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM – 6 months

Commercial – Onureg: 6 months; Vidaza: 6 months or to the member's renewal date, whichever is longer

C. Myelofibrosis (off-label) (must meet all):

- 1. Diagnosis of advanced phase (i.e., accelerated- or blast-phase) myelofibrosis (MF);
- 2. Request is for Vidaza;
- 3. Prescribed by or in consultation with an oncologist or hematologist;
- 4. Age \geq 18 years;
- 5. Request meets one of the following (a or b):*
 - a. Dose does not exceed 100 mg/m^2 per day for 7 days per 4-week cycle;
 - b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).
 *Prescribed regimen must be EDA approved or recommended by NCCN

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM – 6 months

Commercial – 6 months or to the member's renewal date, whichever is longer

D. Other diagnoses/indications

 Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. All Indications in Section I (must meet all):

CLINICAL POLICY Azacitidine



- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Vidaza for a covered indication and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy;
- 3. If request is for a dose increase, request meets one of the following (a, b, or c):*
 - a. Onureg: New dose does not exceed 300 mg (1 tablet) per day for 14 days per 4-week cycle;
 - b. Vidaza: New dose does not exceed 100 mg/m² per day for 7 days per 4-week cycle;
 - c. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

```
*Prescribed regimen must be FDA-approved or recommended by NCCN
```

Approval duration:

Medicaid/HIM - 12 months

Commercial – Onureg: 12 months; Vidaza: 6 months or to the member's renewal date, whichever is longer

- **B.** Other diagnoses/indications (must meet 1 or 2):
- 1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.
 - Approval duration: Duration of request or 6 months (whichever is less); or
- 2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key AML: acute myelogenous leukemia ANC: absolute neutrophil count CMMoL/CMML: chronic myelomonocytic leukemia CR: complete remission CRi: complete remission with incomplete blood count recovery FAB: French-American-British FDA: Food and Drug Administration MDS: myelodysplastic syndrome

Appendix B: Therapeutic Alternatives

MF: myelofibrosis
NCCN: National Comprehensive Cancer Network
RA: refractory anemia
RAEB: refractory anemia with excess blasts
RAEB-T: refractory anemia with excess blasts in transformation
RARS: refractory anemia with ringed sideroblasts



Not applicable

Appendix C: Contraindications/Boxed Warnings:

- Contraindication(s): advanced malignant hepatic tumors (Vidaza only), hypersensitivity to azacitidine (or mannitol for Vidaza only)
- Boxed warning(s): none reported

Appendix D: General Information

The National Comprehensive Cancer Network (NCCN) AML treatment guidelines define morphologic CR in patients that are independent of transfusions as follows:

- Absolute neutrophil count (ANC) > 1,000/mcL (blasts < 5%)
- Platelets \geq 100,000/mcL (blasts < 5%)
- No residual evidence of extramedullary disease

NCCN presents CRi (a variant of CR) as follows based on clinical trial information:

- < 5% marrow blasts
- Either ANC < 1,000/mcL or platelets < 100,000/mcL
- Transfusion independence but with persistence of cytopenia (usually thrombocytopenia)

V. Dosage and Administration

Drug Name	Indication	Dosing Regimen	Maximum Dose
Azacitidine	AML	300 mg PO QD on days 1 through 14	300 mg/day for
(Onureg)		of each 28-day cycle	14 days/cycle
Azacitidine	MDS	75 mg/m ² SC or IV infusion QD for 7	100 mg/m ² /day
(Vidaza)		days. Repeat cycle every 4 weeks.	for 7 days/cycle
		May increase to 100 mg/m ² (after 2	
		treatment cycles). Patients should be	
		treated for a minimum of 4 to 6 cycles.	
		Doses may be adjusted or delayed	
		based on hematology lab values, renal	
		function, or serum electrolytes.	
		Continue treatment as long as the	
		patient continues to benefit	

VI. Product Availability

Drug Name	Availability
Azacitidine (Onureg)	Tablets: 200 mg, 300 mg
Azacitidine (Vidaza)	Lyophilized powder in single dose vials: 100 mg

VII. References

- 1. Onureg Prescribing Information. Summit, NJ: Celgene Corporation; September 2020. Available at: <u>https://packageinserts.bms.com/pi/pi_onureg.pdf</u>. Accessed September 9, 2020.
- Vidaza Prescribing Information. Summit, NJ: Celgene Corporation; March 2020. Available at: <u>https://www.accessdata.fda.gov/drugsatfda_docs/label/2020/050794s032lbl.pdf</u>. Accessed August 7, 2020.

CLINICAL POLICY Azacitidine



- 3. National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: <u>http://www.nccn.org/professionals/drug_compendium</u>. Accessed August 10, 2020.
- 4. National Comprehensive Cancer Network. Myelodysplastic Syndromes Version 2.2020. Available at <u>http://www.nccn.org/professionals/physician_gls/pdf/mds.pdf</u>. Accessed August 10, 2020.
- 5. National Comprehensive Cancer Network. Acute Myeloid Leukemia Version 4.2020. Available at <u>http://www.nccn.org/professionals/physician_gls/pdf/aml.pdf</u>. Accessed September 28, 2020.
- National Comprehensive Cancer Network. Myeloproliferative Neoplasms Version 1.2020. Available at <u>https://www.nccn.org/professionals/physician_gls/pdf/mpn.pdf</u>. Accessed August 10, 2020.

Coding Implications

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-todate sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

	Description
Codes	
J9025 In	njection, azacitidine, 1 mg

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created: adapted from previously approved policy CP.CPA.295 (retired); specialist requirement added; age requirement added; for MDS, added option for member to have serum EPO > 500 mU/mL without 5q cytogenetic abnormality or received/not a candidate for stem cell transplant; initial max dosing added; updated NCCN-compendium supported uses for AML; modified approval duration from length of benefit to 6 months or to member's renewal date for commercial; references reviewed and updated.	08.28.18	11.18
4Q 2019 annual review: MDS – added options for use as bridge therapy while awaiting HSCT donor availability or in patients with clinically relevant thrombocytopenia/neutropenia or increased bone marrow blasts per NCCN; AML for members ≥ 60 years – added combination use with Nexavar and Venclexta and simplified uses as Vidaza can be used for both induction and maintenance therapy in elderly patients declining more aggressive therapy per NCCN; references reviewed and updated.	08.27.19	11.19
4Q 2020 annual review: MDS, MF, AML criteria collapsed in recognition of the interrelated transformative nature of the three disease states and to encompass new subtypes and treatment algorithms; RT2: added Onureg to policy; references reviewed and updated.	09.09.20	11.20



Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members

CLINICAL POLICY Azacitidine



and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation.